



**Customer:** EWL, LLC

**Product identity:** CBD Luxury Cream Lavendar Bergamot LC01LB  
**Client/Metric ID:** EWL-2019-191120-211-04  
**Sample Date:** 11/21/19 10:47  
**Laboratory ID:** 19-014166-0001  
**Temp:** 15.9 °C  
**Relinquished by:** Brian Ramos  
**Client Batch ID:** LC01LB  
**Batch Size:** 500 units  
**Serving Size #2:** 48.5 g

### Sample Results

Potency per 48.5g		Batch: 1910797					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBC-A per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBC-Total per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	3.04	12/02/19	J AOAC 2015 V98-6	
CBD per 48.5g	420		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBD-A per 48.5g	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBD-Total per 48.5g	420		mg/48.5g	3.04	12/02/19	J AOAC 2015 V98-6	
CBDV per 48.5g <sup>†</sup>	1.83		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBDV-A per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBDV-Total per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	3.02	12/02/19	J AOAC 2015 V98-6	
CBG per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBG-A per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBG-Total per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	3.04	12/02/19	J AOAC 2015 V98-6	
CBL per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBN per 48.5g	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
Δ8-THC per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
Δ9-THC per 48.5g	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
THC-A per 48.5g	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
THC-Total per 48.5g	< LOQ		mg/48.5g	3.04	12/02/19	J AOAC 2015 V98-6	
THCV per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
THCV-A per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
THCV-Total per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	3.02	12/02/19	J AOAC 2015 V98-6	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



**Microbiology**

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Aerobic Plate Count	< LOQ		cfu/g	10	1910677	11/24/19	AOAC 990.12 (Petrifilm)	X
E.coli	< LOQ		cfu/g	10	1910676	11/24/19	AOAC 991.14 (Petrifilm)	X
Total Coliforms	< LOQ		cfu/g	10	1910676	11/24/19	AOAC 991.14 (Petrifilm)	X
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	1910675	11/24/19	AOAC 2014.05 (RAPID)	X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	1910675	11/24/19	AOAC 2014.05 (RAPID)	X

Solvents						Method EPA5021A	Units µg/g	Batch 1910721	Analyze 11/22/19 02:25 PM		
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass	
Methylpropane	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass	



**Pesticides**      **Method** AOAC 2007.01 & EN 15662 (mod) **Units** mg/kg **Batch** 1910789      **Analyze** 11/26/19 09:00 AM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclbutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole (isomers a	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

**Nutrition**

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Moisture (Loss on Drying)	74.0		g/100g	0.10	1910814	11/25/19	AOAC 925.10 (mod.)	X
Water Activity	1.00		Aw	0.030	1910879	11/27/19	AOAC 978.18	X



**Customer:** EWL, LLC

**Product identity:** CBD Luxury Cream Lavendar Bergamot LC01LB  
**Client/Metric ID:** EWL-2019-191120-211-04  
**Sample Date:** 11/21/19 10:47  
**Laboratory ID:** 19-014166-0002  
**Temp:** 15.9 °C  
**Relinquished by:** Brian Ramos  
**Client Batch ID:** LC01LB  
**Batch Size:** 500 units  
**Serving Size #2:** 48.5 g

### Sample Results

Potency per 48.5g		Batch: 1910797					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBC-A per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBC-Total per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	3.04	12/02/19	J AOAC 2015 V98-6	
CBD per 48.5g	410		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBD-A per 48.5g	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBD-Total per 48.5g	410		mg/48.5g	3.04	12/02/19	J AOAC 2015 V98-6	
CBDV per 48.5g <sup>†</sup>	1.80		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBDV-A per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBDV-Total per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	3.02	12/02/19	J AOAC 2015 V98-6	
CBG per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBG-A per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBG-Total per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	3.04	12/02/19	J AOAC 2015 V98-6	
CBL per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
CBN per 48.5g	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
Δ8-THC per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
Δ9-THC per 48.5g	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
THC-A per 48.5g	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
THC-Total per 48.5g	< LOQ		mg/48.5g	3.04	12/02/19	J AOAC 2015 V98-6	
THCV per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
THCV-A per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	1.62	12/02/19	J AOAC 2015 V98-6	
THCV-Total per 48.5g <sup>†</sup>	< LOQ		mg/48.5g	3.02	12/02/19	J AOAC 2015 V98-6	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

**Units of Measure**

cfu/g = Colony forming units per gram

g = Gram

g/100g = Grams per 100 Grams

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/l = Milligram per l

mg/48.5g = Milligram per 48.5g

% = Percentage of sample

Aw = Water Activity

% wt = µg/g divided by 10,000

**Glossary of Qualifiers**

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner  
General Manager